

Tiandy

لیست قیمت رسمی بهار ۱۴۰۲

تارتن دژ آریانا

نماینده مرکزی محصولات تیاندی

تمامی کالاها دارای ۳۶ ماه گارانتی معتبر

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹





تیاندی (Tiandy)

- دارنده رتبه هفتم جهان
- اولین ارائه دهنده فناوری Starlight (دید در شب رنگی)
- پیشرو در ارائه خدمات و محصولات هوشمند

ویژگی های برند تیاندی:

- انتقال تصویر آسان (P2P) بدون نیاز به IP استاتیک ✓
- دارای 3 سال گارانتی شرکت پارس ارتباط ✓
- دارای خط تولید در داخل کشور ✓
- مورد تایید سازمان ها و ارگان های دولتی ✓
- بهترین کیفیت با قیمت مناسب ✓
- پشتیبانی از پروتکل ONVIF ✓
- دید در شب رنگی با حداقل لوکس نوری (0.0008) ✓



| | 1 | 2 | 3 | 4 | 5 | 6 |
|--------|-----------------|----------------|-------------------|-------------------|--------------|-----------|
| Tiandy | TC-C32QN | TC-C32GN | TC-C32GS | TC-C32WS | TC-C32WP | TC-C32WP |
| | I3/E/Y/2.8mm/V5 | I5/E/Y/C/2.8mm | I5/E/Y/C/SD/2.8mm | I5/E/Y/M/4mm/V4.0 | I5/E/M/Y/4mm | W/E/Y/4mm |

Tiandy



| | | | | | | |
|-----------------------|--------------------------|--------------------------|--------------------------|--|--------------------------|----------------------------|
| Price (Rials) | 19,900,000 | 27,600,000 | 30,000,000 | 64,200,000 | 54,700,000 | 42,300,000 |
| Camera Type | Bullet | Bullet | Bullet | Bullet | Bullet | Bullet |
| Max Resolution | 2MP(1920×1080@25fps) | 2MP(1920×1080@25fps) | 2MP(1920×1080@25fps) | 2MP(1920×1080@25fps) | 2MP(1920×1080@25fps) | 2MP(1920×1080@25fps) |
| Sensor Size | 1/2.9" | 1/2.8" | 1/2.8" | 1/2.8" | 1/2.8" | 1/2.8" |
| Lens | 2.8mm | 2.8mm | 2.8mm | 4mm | 4mm | 4mm |
| Viewing Angle | 102.8° | 99.7° | 99.7° | 85.1° | 83.3° | 83.3° |
| Night Vision Distance | IR 30 M | IR 50 M | IR 50 M | IR 50 M | IR 50 M | Warm Light 15~20M |
| Dynamic Range | DWDR | DWDR | WDR 120db | WDR 120db | WDR 120db | WDR 120db |
| Built in Mic | Yes | Yes | Yes | Yes | Yes | Yes |
| SD Card Support | No | No | Yes (Up to 512G) | Yes (Up to 512G) | Yes (Up to 512G) | Yes (Up to 512G) |
| Reset Button | N/A | N/A | N/A | Yes | Yes | Yes |
| Video Compression | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264/M-JPEG | S+265/H.265/H.264 | S+265/H.265/H.264 |
| Protection | IP67 | IP67 | IP67 | IP67 | IP67 | IP66 |
| VCA | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Human/Vehicle Classification | Tripwire, Perimeter | Tripwire, Perimeter |
| Click for Details | TC-C32QN | TC-C32GN | TC-C32GS | TC-C32WS | TC-C32WP | TC-C32WP/W |

| | 7 | 8 | 9 | 10 | 11 | 12 |
|---------------|-----------------|-----------------|---------------------|-------------------|------------------|-----------------|
| Tiandy | TC-C32WP | TC-C32XN | TC-C32HN | TC-C32HS | TC-C32XP | TC-C34WS |
| | W/E/Y/2.8mm | I3/E/Y/2.8mm/V5 | I3/E/Y/C/2.8mm/V4.0 | I3/E/Y/C/SD/2.8mm | W/E/Y/2.8mm/V4.0 | I5/E/Y/M/2.8mm |

Tiandy



| | | | | | | |
|------------------------------|----------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Price (Rials) | ۴۲,۳۰۰,۰۰۰ | ۱۹,۹۰۰,۰۰۰ | ۲۷,۶۰۰,۰۰۰ | ۲۴,۶۵۰,۰۰۰ | ۴۸,۰۰۰,۰۰۰ | ۶۳,۰۰۲,۰۰۰ |
| Camera Type | Bullet | Dome | Dome | Dome | Dome | Bullet |
| Max Resolution | 2MP(1920×1080@25fps) | 2MP(1920×1080@25fps) | 2MP(1920×1080@25fps) | 2MP(1920×1080@30fps) | 2MP(1920×1080@25fps) | 4MP(2560×1440@25fps) |
| Sensor Size | 1/2.8" | 1/2.8" | 1/2.9" | 1/2.8" | 1/2.8" | 1/2.8" |
| Lens | 2.8mm | 2.8mm | 2.8mm | 2.8mm | 2.8mm | 2.8mm |
| Viewing Angle | 99.7° | 99.7° | 97.4° | 99.7° | 99.7° | 92.1° |
| Night Vision Distance | Warm Light 15~20M | IR 30 M | IR 30 M | IR 30 M | Warm Light 15~20M | IR 50 M |
| Dynamic Range | WDR 120db | DWDR | DWDR | WDR 120db | WDR 120db | WDR 120db |
| Built in Mic | Yes | Yes | Yes | Yes | Yes | Yes |
| SD Card Support | Yes (Up to 512G) | Yes (Up to 512G) | No | Yes (Up to 512G) | Yes (Up to 512G) | Yes (Up to 512G) |
| Reset Button | Yes | Yes | N/A | N/A | Yes | Yes |
| Video Compression | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 |
| Protection | IP67 | IP67 | IP66 | IP66 | IP67 | IP67 |
| VCA | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter |
| Click for Details | TC-C32WP/W | TC-C32XN | TC-C32HN | TC-C32HS | TC-C32XP | TC-C34WS |

| | 13 | 14 | 15 | 16 | 17 | 18 |
|---------------|-----------------|-----------------|-------------------|-------------------|------------------|-----------------------|
| Tiandy | TC-C34WS | TC-C34GN | TC-C34GS | TC-C34GS | TC-C34WP | TC-C34LP |
| | I5/E/Y/M/4mm | I5/E/Y/C/2.8mm | I5/E/Y/C/4mm/V4.0 | I5/E/Y/C/SD/2.8mm | W/E/Y/M/4mm/V4.0 | I5/A/E/M/H/2.7-13.5mm |

Tiandy



| | | | | | | |
|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---|
| Price (Rials) | ۶۳,۰۰۲,۰۰۰ | ۳۵,۸۵۰,۰۰۰ | ۳۸,۷۰۰,۰۰۰ | ۳۸,۷۰۰,۰۰۰ | ۶۴,۲۰۰,۰۰۰ | ۱۵۴,۵۰۰,۰۰۰ |
| Camera Type | Bullet | Bullet | Bullet | Bullet | Bullet | Bullet |
| Max Resolution | 4MP(2560x1440@25fps) | 4MP(2592x1520@25fps) | 4MP(2560x1440@25fps) | 4MP(2560x1440@25fps) | 4MP(2592x1520@25fps) | 4MP(2592x1520@30fps) |
| Sensor Size | 1/2.8" | 1/2.7" | 1/2.7" | 1/2.7" | 1/2.8" | 1/1.8" |
| Lens | 4mm | 2.8mm | 4mm | 2.8mm | 4mm | Motorized 2.7-13.5mm |
| Viewing Angle | 76.7° | 103.4° | 88.2° | 103.4° | 78° | 114°~497° |
| Night Vision Distance | IR 50 M | IR 50 M | IR 50 M | IR 50 M | Warm Light 15~20M | SuperStarlight/IR 80M |
| Dynamic Range | WDR 120db | DWDR | DWDR | DWDR | WDR 120db | WDR 140db |
| Built in Mic | Yes | Yes | Yes | Yes | Yes | Yes |
| SD Card Support | Yes (Up to 512G) | No | No | Yes (Up to 512G) | Yes (Up to 512G) | Yes (Up to 512G) |
| Reset Button | Yes | N/A | N/A | N/A | Yes | Yes |
| Video Compression | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264/M-JPEG |
| Protection | IP67 | IP67 | IP67 | IP67 | IP67 | IP67,IK10 |
| VCA | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification |
| Click for Details | TC-C34WS | TC-C34GN | TC-C34GS | TC-C34GS | TC-C34WP | TC-C34LP |

| | 19 | 20 | 21 | 22 | 23 | 24 |
|---------------|-----------------|-----------------|---------------------|-------------------|--------------------|---------------------|
| Tiandy | TC-C34KS | TC-C34HN | TC-C34HS | TC-C34HS | TC-C34XP | TC-C35US |
| | I3/E/Y/2.8mm | I3/E/Y/C/2.8mm | I3/E/Y/C/2.8mm/V4.0 | I3/E/Y/C/SD/2.8mm | W/E/Y/M/2.8mm/V4.0 | I8/A/E/Y/M/2.8-12mm |

Tiandy



| | | | | | | |
|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Price (Rials) | ۵۰,۴۵۰,۰۰۰ | ۳۵,۸۵۰,۰۰۰ | ۳۷,۲۸۰,۰۰۰ | ۳۹,۷۸۵,۰۰۰ | ۵۹,۹۸۰,۰۰۰ | ۹۰,۵۰۰,۰۰۰ |
| Camera Type | Dome | Dome | Dome | Dome | Dome | Bullet |
| Max Resolution | 4MP(2560x1440@25fps) | 4MP(2560x1440@15fps) | 4MP(2560x1440@15fps) | 4MP(2560x1440@15fps) | 4MP(2592x1520@25fps) | 5MP(2592x1944@20fps) |
| Sensor Size | 1/2.8" | 1/2.7" | 1/2.7" | 1/2.7" | 1/2.8" | 1/2.8" |
| Lens | 2.8mm | 2.8mm | 2.8mm | 2.8mm | 2.8mm | Motorized 2.8-12mm |
| Viewing Angle | 92.1° | 99.7° | 103.4° | 99.7° | 93.8° | 96.8°~32.7° |
| Night Vision Distance | IR 30 M | IR 30 M | IR 30 M | IR 30 M | Warm Light 15~20M | IR 80 M |
| Dynamic Range | WDR 120db | DWDR | WDR 120db | DWDR | WDR 120db | WDR 120db |
| Built in Mic | Yes | Yes | Yes | Yes | Yes | Yes |
| SD Card Support | Yes (Up to 512G) | No | No | Yes (Up to 512G) | Yes (Up to 512G) | Yes (Up to 512G) |
| Reset Button | Yes | N/A | N/A | N/A | Yes | Yes |
| Video Compression | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 |
| Protection | IP67,IK10 | IP66 | IP66 | IP66 | IP67 | IP67 |
| VCA | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter |
| Click for Details | TC-C34KS | TC-C34HN | TC-C34HS | TC-C34HS | TC-C35MP | TC-C35US |

| | 25 | 26 | 27 | 28 |
|---------------|---------------------------|---------------------|--------------------|-------------------|
| Tiandy | TC-C35KS | TC-C35MS | TC-C38WS | TC-C38KS |
| | I3/E/Y/M/H/2.8mm/ V4.0 | I3/A/E/Y/M/2.8-12mm | I5/E/Y/M//4mm/V4.0 | I3/E/Y/2.8mm/V4.0 |

Tiandy



| | | | | |
|------------------------------|--|--------------------------|--------------------------|--------------------------|
| Price (Rials) | ۱۰۴,۹۶۷,۰۰۰ | ۹۰,۵۰۰,۰۰۰ | ۹۰,۶۸۸,۰۰۰ | ۹۰,۷۰۰,۰۰۰ |
| Camera Type | Dome | Dome | Bullet | Dome |
| Max Resolution | 5MP(2592x1944@20fps) | 5MP(2592x1944@20fps) | 8MP(3840x2160@20fps) | 8MP(3840x2160@20fps) |
| Sensor Size | 1/2.8" | 1/2.8" | 1/2.8" | 1/2.8" |
| Lens | 2.8mm | Motorized 2.8-12mm | 4mm | 2.8mm |
| Viewing Angle | 95.6° | 96°~32.7° | 86.6° | 101.3° |
| Night Vision Distance | Starlight/IR 30M | Starlight/IR 30M | IR 50 M | IR 30 M |
| Dynamic Range | WDR 120db | WDR 120db | WDR 120db | WDR 120db |
| Built in Mic | Yes | Yes | Yes | Yes |
| SD Card Support | Yes (Up to 512G) | Yes (Up to 512G) | Yes (Up to 512G) | Yes (Up to 128G) |
| Reset Button | Yes | Yes | Yes | Yes |
| Video Compression | S+265/H.265/H.264/M-JPEG | S+265/H.265/H.264 | S+265/H.265/H.264/M-JPEG | S+265/H.265/H.264/M-JPEG |
| Protection | IP67,IK10 | IP67,IK10 | IP67 | IP67,IK10 |
| VCA | Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowed, People Counting, Crowed, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification | Tripwire, Perimeter | Tripwire, Perimeter | Tripwire, Perimeter |
| Click for Details | TC-C35KS | TC-C35MS | TC-C38WS | TC-C38KS |

Tiandy

TC-H324S

Spec:25X/I/E

Tiandy

tiandy-cctv.com

| | |
|-----------------------|--|
| Price (Rials) | ۳۰۴,۴۰۰,۰۰۰ |
| Camera Type | PTZ |
| Max Resolution | 2MP(1920×1080@25fps) |
| Sensor Size | 1/2.8" |
| Lens | Varifocal4.8mm~120mm |
| Viewing Angle | 58.5°~2.8° |
| Night Vision Distance | IR 150 M |
| Dynamic Range | WDR 140db |
| Built in Mic | No |
| SD Card Support | Yes (Up to 512G) |
| Reset Button | Yes |
| Video Compression | S+265/H.265/H.264/M-JPEG |
| Protection | IP66 |
| VCA | Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Video Abnormal, On-duty detection, Face Detection, Face Capture |
| Click for Details | TC-H324S |

tiandy-cctv.com

| | 30 | 31 | 32 | 33 | 34 | 35 |
|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Tiandy | TC-R3105 | TC-R3105 | TC-R3110 | TC-R3120 | TC-R3120 | TC-R3220 |
| | Spec: I/B/L | Spec: I/B/V3.0 | Spec: I/B | Spec: I/B | Spec: I/B/V3.0 | Spec: I/B/K |

Tiandy



| | 30 | 31 | 32 | 33 | 34 | 35 |
|-----------------------------|---|---|---|---|---|---|
| Price (Rials) | ۲۹,۹۹۰,۰۰۰ | Call: ۰۲۱-۸۸۵۰۰۰۲۰ | ۵۴,۵۰۰,۰۰۰ | ۷۳,۱۵۰,۰۰۰ | ۸۱,۱۰۰,۰۰۰ | ۱۲۱,۹۰۰,۰۰۰ |
| Video Input | 5-ch | 5-ch | 10-ch | 20-ch | 20-ch | 20-ch |
| Recording Resolution | 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF |
| Playback Capability | 1x 6MP, 1x 5MP, 1x 4MP, 1x 3MP, 4x 1080P, 5x 720P, 5x 4CIF | 1x5MP, 1x4MP, 3x1080P, 5x720P, 5x4CIF | 1x5MP, 1x4MP, 3x1080P, 5x720P, 5x4CIF | 1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF | 1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF | 1x 8MP, 1x 6MP, 1x 5MP, 2x 4MP, 2x 3MP, 4x 1080P, 8x 720P, 20x 4CIF |
| HDD | 1 up to 8TB | 1 up to 10TB | 1 up to 10TB | 1 up to 10TB | 1 up to 10TB | 2 up to 10TB |
| Input Bandwidth | 50Mbps | 40Mbps | 40Mbps | 80Mbps | 80Mbps | 120Mbps |
| Output Bandwidth | 40Mbps | 40Mbps | 40Mbps | 80Mbps | 80Mbps | 100Mbps |
| Network Interface | 1 RJ45 100M | 1 RJ45 100M | 1 RJ45 100M | 1 RJ45 100M | 1 RJ45 100M | 1 RJ45 100M |
| Video Output | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4K 1 Port VGA |
| Video Compression | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 |
| Click for Details | TC-R3105 | TC-R3105 | TC-R3110 | TC-R3120 | TC-R3120 | TC-R3220 |

| | 36 | 37 | 38 | 39 | 40 | 41 |
|---------------|--|---------------------------------|-----------------------------------|-----------------------------------|-------------------------------|-------------------------------|
| Tiandy | TC-R3220 Spec:I/B/P16/K/V3.0 | TC-R3240 Spec:I/B/N/H | TC-R3440 Spec:I/B/N/H/C | TC-R3440 Spec:I/B/P16/H | TC-R3840 Spec:I/B/N | TC-R3880 Spec:I/B/N |

Tiandy



| | | | | | | |
|-----------------------------|---|--|--|--|--|--|
| Price (Rials) | ۲۴۹,۹۰۰,۰۰۰ | ۲۰,۰۰۰,۰۰۰ | ۲۱۹,۵۰۰,۰۰۰ | Call: +۲۱-۸۸۵۰۰۰۲۰ | Call: +۲۱-۸۸۵۰۰۰۲۰ | Call: +۲۱-۸۸۵۰۰۰۲۰ |
| Video Input | 20-ch/16P | 40-ch | 40-ch | 40-ch/16P | 40-ch | 80-ch |
| Recording Resolution | 8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF | 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF |
| Playback Capability | 1x 8MP, 1x 6MP, 1x 5MP, 2x 4MP, 2x 3MP, 4x 1080P, 8x 720P | 3x 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 32x 720P, 40x 4CIF | 3x 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 16x 720P | 3x 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 16x 720P | 2x 12MP, 4x 4K, 5x 5MP, 8x 4MP, 16x 1080P, 16x 720P | 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 16x 720P |
| HDD | 2 up to 10TB | 2 up to 10TB | 4 up to 10TB | 4 up to 10TB | 8 up to 10TB | 8 up to 10TB |
| Input Bandwidth | 120Mbps | 320Mbps | 200Mbps | 320Mbps | 400Mbps | 320Mbps |
| Output Bandwidth | 100Mbps | 320Mbps | 200Mbps | 320Mbps | 200Mbps | 320Mbps |
| Network Interface | 1 RJ45 1000M | 2 RJ45 1000M | 2 RJ45 1000M | 1 RJ45 1000M | 2 RJ45 1000M | 2 RJ45 1000M |
| Video Output | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4K 1 Port VGA | 2 Port HDMI : 4K 2 Port VGA | 2 Port HDMI : 4K 2Port VGA |
| Video Compression | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 | S+265/H.265/H.264 |
| Click for Details | TC-R3220 /16P | TC-R3240 | TC-R3440 | TC-R3440/16P | TC-R3840 | TC-R3880 |

42

Tiandy

TC-R31680

Spec:E/B/N

Tiandy



tiandy-cctv.com

| | |
|----------------------|---|
| Price (Rials) | Call: +۹۱-۸۸۵۰۰۰۲۰ |
| Video Input | 80-ch |
| Recording Resolution | 12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCI |
| Playback Capability | 2×12MP, 4×4K, 5×5MP, 8×4MP, 16×1080P, 16×720P |
| HDD | 16 up to 10TB |
| Input Bandwidth | 400Mbps |
| Output Bandwidth | 200Mbps |
| Network Interface | 2 RJ45 1000M |
| Video Output | 2 Port HDMI : 4K 2Port VGA |
| Video Compression | S+265/H.265/H.264 |
| Click for Details | TC-R31680 |

tiandy-cctv.com