



لیست قیمت رسمی فرورد ۱۴۰۲


تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



1

2

3

4

Dahua

DH-HAC-B1A21P-0280B

DH-HAC-B2A21P-0280B

DH-HAC-B2A21-0360B

DH-HAC-B2A41P-0280B-S2



Price (Rials)

۱۰,۹۰۰,۰۰۰

۱۳,۲۹۰,۰۰۰

۱۳,۲۹۰,۰۰۰

۱۷,۷۳۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

4 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

4MP (2560×1440)

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.04Lux/F2.0

0.04Lux/F1.85

0.04Lux/F2.0

0.04Lux/F2.0

Lens

2.8 Fixed

2.8 Fixed

3.6 Fixed

3.6 Fixed

Viewing Angle

103°

103°

84°

84°

IR Range

Up to 20m

Up to 20m

Up to 20m

Up to 20m

Body Type

Plastic

Metal

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

Yes

WDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable

Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable

Smart IR, HLC, BLC, 2D DNR,AWB, Switchable

Smart IR, HLC, BLC, 2D DNR,AGC, Switchable

5

6

7

8

Dahua

DH-HAC-HFW1200DP-0360B-S5

DH-HAC-HFW1200TLP-S5

DH-HAC-HFW1231RP-Z-A

DH-HAC-HFW1200SP-0360B-S5




Price (Rials)

۲۰,۴۱۰,۰۰۰

۱۵,۷۸۰,۰۰۰

۴۲,۸۳۰,۰۰۰

۱۶,۶۲۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.02Lux/F1.9

0.02Lux/F1.9

0.002Lux/F1.5

0.02Lux/F1.8

Lens

3.6 Fixed

2.8 Fixed

Motorized (2.7–12 mm)

3.6 Fixed

Viewing Angle

84°

100°

102°-33°

84°

IR Range

Up to 80m

Up to 40m

Starlight Up to 80m

Up to 30m

Body Type

Plastic

Plastic

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

Yes

WDR

DWDR

DWDR

WDR 130db

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 2D NR, Switchable

Smart IR, HLC, BLC, Switchable

Smart IR, HLC, BLC, 3D NR, Switchable.
Built in mic

Smart IR, HLC, BLC, 2D NR, Switchable

9

10

11

12

Dahua

DH-HAC-HFW1200TP-0280B-S5

DH-HAC-HFW1200THP-I8

DH-HAC-HFW1200CP-A-0360B-S5

DH-HAC-HFW1200CMP-A




Price (Rials)	۱۵,۸۱۰,۰۰۰	۲۱,۰۰۰,۰۰۰	۱۵,۹۱۰,۰۰۰	۲۱,۲۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	100°	84°	84°	84°
IR Range	Up to 30m	Up to 80m	Up to 30m	Up to 30m
Body Type	Metal	Plastic & Metal	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic- Electronic Defog	Smart IR, HLC, BLC, Switchable, Built in Mic

13

14

15

16

Dahua

DH-HAC-T2A21P-0280B

DH-HAC-T1A41P-0280B-S2

DH-HAC-T2A41P-0280B-S2

DH-HAC-T2A51-0280B-S2




Price (Rials)	۱۲,۸۰۰,۰۰۰	۱۳,۵۲۰,۰۰۰	۱۶,۴۹۰,۰۰۰	۱۹,۹۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel
Resolution	HD1080P	4MP (2560×1440)	4MP (2560×1440)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F2.0
Lens	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	100°	100°	76.4°	88°
IR Range	Up to 20m	Up to 20m	Up to 20m	Up to 20m
Body Type	Metal	Plastic	Metal	Metal
IP Standard	IP67	-	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC, AGC, Switchable

17

18

19

20

Dahua

DH-HAC-HDW1209TLQP-A-LED-0280B

DH-HAC-HDW1239TP-A-LED-0280B-S2

DH-HAC-HDW1209TLQP-LED-0280B

DH-HAC-HDW1239TLQP-A-LED




Price (Rials)	۱۶,۲۳۰,۰۰۰	۲۹,۲۰۰,۰۰۰	۱۵,۰۱۴,۰۰۰	۲۶,۲۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.001Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	107°	106°	107°
IR Range	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Starlight/Up to 20m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	WDR 130db	DWDR	WDR 130db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,3D DNR, AGC, Switchable

21

22

23

24

Dahua

DH-HAC-HDW1200EMP-A-0280B-S5

DH-HAC-HDW1200MP-0280B-S5

DH-HAC-HFW1400TP-0280B-S3

DH-HAC-HFW1500TP-A-S2-0280B




Price (Rials)	۱۷,۵۸۰,۰۰۰	۱۴,۷۱۰,۰۰۰	۲۴,۱۴۰,۰۰۰	۲۵,۵۸۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	4 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	4MP (2560×1440)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.85	0.02Lux/F1.9	0.02Lux/F2.0	0.02Lux/F1.85
Lens	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	101°	101°	87°	84°
IR Range	Up to 50m	Up to 30m	Up to 30m	Up to 30m
Body Type	Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR,AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, AGC, Built in mic

25

26

27

28

Dahua

DH-HAC-HFW1509CP-A-LED-0360B-S2

DH-HAC-HDW1500TMQP-A-0280B-S2

DH-HAC-HDW1509TLQP-LED-0360B-S2

DH-HAC-HDW1509TP-A-LED-0280B-S2



Price (Rials)

۳۴,۹۳۰,۰۰۰

۲۶,۵۰۰,۰۰۰

۳۴,۹۳۰,۰۰۰

۴۱,۱۶۰,۰۰۰

Camera Type

Bullet

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2880×1620)

5MP (2560×1944)

5MP (2880×1620)

5MP (2880×1620)

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.001Lux/F1.0

0.005Lux/F1.6

0.001Lux/F1.0

0.001Lux/F1.0

Lens

2.8 Fixed

2.8 Fixed

2.8 Fixed

3.6 Fixed

Viewing Angle

112°

105°

112°

84°

IR Range

Up to 20m

Up to 60m

Up to 20m

Up to 40m

Body Type

Plastic & Metal

Plastic & Metal

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

Yes

Yes

WDR

WDR 120db

DWDR

WDR 120db

WDR 120db

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 3D NR, Switchable

Smart IR, HLC, BLC, 2D DNR, Switchable,
Built in Mic

Smart IR, HLC, BLC, 3D NR, Switchable

Smart IR, HLC, BLC, 3D NR, Switchable

29

30

Dahua

DH-SD42215-HC-LA

DH-SD49225-HC-LA




Price (Rials)	C all: +۲۱-۸۸۵۰۰۰۲۰	
Camera Type	PTZ	PTZ
Imaging Sensor	2 Megapixel	2 Megapixel
Resolution	1920 x 1080	1920 x 1080
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6
Lens	5-75 mm	4.8-120 mm
Viewing Angle	15x	25x
IR Range	Starlight	Starlight
Body Type	Plastic	Plastic
IP Standard	IP66/IK10	IP66
OSD Menu	No	No
WDR	Yes (120db)	Yes (120db)
Power Supply	DC 12V/3A	DC 12V/3A
Other Features	EDefog, RoI, 3D DNR, HLC, BLC	EDefog, 3D DNR, HLC, BLC, Auto iris, Auto focus

31

32

33

34

Dahua

DH-XVR5104HS-4KL-I3

DH-XVR1B08-I

DH-XVR5108HS-4KL-I2

DH-XVR5108HS-4KL-I3



Price (Rials)	۶۸,۹۷۰,۰۰۰	۳۴,۷۸۰,۰۰۰	۱۰۸,۵۰۰,۰۰۰	۱۱۵,۵۶۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
IP Video Input	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS	4K: 25/30FPS 5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
Video Output	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264

35

36

37

Dahua

DH-XVR1B16-I

DH-XVR5216AN-I3

DH-XVR5216AN-4KL-I3




Price (Rials)	۶۸,۷۰۰,۰۰۰	۱۴۴,۶۱۰,۰۰۰	۲۲۲,۲۷۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4K
IP Video Input	16+2 Ch. Up to 6MP	16+2 Ch. Up to 6MP	16+16 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	2MP: 25FPS 720P: 25FPS	2MP: 25FPS 720P: 25FPS	4K: 25/30FPS 720P:25/30FPS
Video Output	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI :4k 1 Port VGA : 1080p
SATA Interface	1 HDD up to 6TB	2 HDD up to 16TB	2 HDD up to 16TB
Network Interface		1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change



لیست قیمت رسمی فرورد ۱۴۰۲

تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S-0280B-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2	DH-IPC-HFW2239SP-SA-LED-S2



Price (Rials)	۳۳,۳۰۰,۰۰۰	۳۲,۳۳۰,۰۰۰	۳۸,۶۴۰,۰۰۰	۴۶,۶۴۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps
Sensor Size	1/2.7"	1/2.8"	1/2.7"	1/2.8"
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	106°	88°	91°	107°
Night Vision Distance	IR 30M	Warm Light 10/15M	IR 30 M	Warmlight/ IR 30 M
Dynamic Range	DWDR	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	Yes
SD Card Support	No	No	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire

	5	6	7	8
Dahua	DH-IPC-HFW2231T-ZS-S2	DH-IPC-HDW1230T1P-0280B-S5	DH-IPC-HDW1230S-S5	DH-IPC-HDW2231TM-AS-S2



Price (Rials)	۷۳,۹۱۰,۰۰۰	۳۱,۲۳۰,۰۰۰	۳۱,۲۶۰,۰۰۰	۴۹,۷۴۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.7"	1/2.8"	1/2.8"
Lens	Motorized (2.7–13.5 mm)	2.8 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	106°-29°	102°	102°/84°	107°/88°
Night Vision Distance	IR 60M	IR 30M	IR 30M	IR 30M
Dynamic Range	WDR 120db	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	Yes
SD Card Support	Yes (Up to 128G)	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, AWB, AGC	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI

	9	10	11	12
Dahua	DH-IPC-HDW2231TP-AS-0360-S2	DH-IPC-HDW2239TP-AS-LED-0280	DH-IPC-HFW2431TP-ZAS-27135-S2	DH-IPC-HFW3441TP-ZAS
				
Price (Rials)	۴۶,۵۵۰,۰۰۰	۴۸,۰۲۰,۰۰۰	۹۳,۱۹۰,۰۰۰	۱۱۰,۳۳۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps	4MP(2688×1520) @30fps
Sensor Size	1/2.8"	1/2.8"	1/3"	1/3"
Lens	3.6 Fixed	2.8 Fixed	Motorized (2.7–13.5 mm)	Motorized (2.7–13.5 mm)
Viewing Angle	88°	107°	104°-27°	104°-27°
Night Vision Distance	Starlight/ IR 30M	Warmlight/ IR 30M	IR 60 M	IR 60 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67	IP67,IK10	IP67,IK10
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, AWB	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

13

14

15

16

Dahua

DH-IPC-HFW3441EP-SA-0360B

DH-IPC-HFW3449EP-AS-LED

DH-IPC-HDW3441TMP-AS

DH-IPC-HDBW1431EP-S4




Price (Rials)	۶۹,۷۵۰,۰۰۰	۷۹,۲۵۰,۰۰۰	۶۶,۷۶۰,۰۰۰	۴۶,۸۹۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/2.7"	1/3"	1/3"
Lens	3.6 Fixed	3.6 Fixed	2.8, 3.6 Fixed	2.8 Fixed
Viewing Angle	84°	80°	102°/84°	104°
Night Vision Distance	IR 50 M	Warmlight/ IR 30 M	IR 30 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes	3D NR, HLC, BLC, ePoE, AWB, AGC

	17	18	19	20
Dahua	DH-IPC-HDW2431TMP-AS-S2	DH-IPC-HDW3449TMP-AS-LED	DH-IPC-HDBW2831RP-ZS-S2	DH-IPC-HFW2831TP-ZS-S2



Price (Rials)	۶۲,۷۱۰,۰۰۰	۵۶,۵۴۰,۰۰۰	۱۱۷,۰۲۰,۰۰۰	۱۲۰,۷۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @30fps	8MP(3840×2160) @15fps	8MP(3840×2160) @25/30fps
Sensor Size	1/3"	1/2.7"	1/1.8"	1/1.8"
Lens	2.8 Fixed	2.8/3.6 Fixed	Motorized (3.7–11 mm)	Motorized (3.7–11 mm)
Viewing Angle	102°	103°/80°	112°-46°	112°-46°
Night Vision Distance	Starlight/ IR 30M	Warmlight/IR 30 M	IR 30 M	IR 60 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 128G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264/H.265	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67	IP67, IK10	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, AWB, AGC	3D NR, HLC, BLC, AWB, AGC

21

22

23

Dahua

DH-SD5A232XA-HNR

DH-SD49225XA-HNR-S3

DH-SD5A432XA-HNR




	21	22	23
Price (Rials)	۴۸۹,۳۴۰,۰۰۰	۲۵۹,۳۴۰,۰۰۰	۵۲۱,۱۷۰,۰۰۰
Camera Type	PTZ	PTZ	PTZ
Max Resolution	2MP(1920×1080) @50/60fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"
Lens	4.9–156 mm	4.8–120 mm	4.9–156 mm
Optical zoom	32x	25x	32x
Night Vision Distance	Starlight/IR 150 M	Starlight/IR 100 M	Starlight/IR 150 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	No	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 512G)	Yes (Up to 256G)
Power Supply	24V DC or POE	12 VDC, 3 or POE	24V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
Protection	IP67/IK10	IP66	IP67/IK10
Other Features	Defog, Rol,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	Defog, Rol,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, Rol,2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

	24	25	26	27
Dahua	DHI-NVR1104HS-S3/H	DH-NVR4104HS-4KS2/L	DHI-NVR4104HS-P-4KS2/L	DHI-NVR2216-I



Price (Rials)	۳۳,۱۷۰,۰۰۰	۵۹,۵۲۰,۰۰۰	۸۲,۷۵۰,۰۰۰	۱۰۶,۰۶۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	16 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	48Mbps	60Mbps	80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	4 POE Ports	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 1000M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	1U Lite
Other Features	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	H.265/H.264

	28	29	30	31
Dahua	DH-NVR2216-12	DHI-NVR4216-4KS2/L	DHI-NVR4216-16P-4KS2/L	DHI-NVR5216-4KS2



Price (Rials)	۱۰۶,۹۸۰,۰۰۰	۱۰۴,۳۵۰,۰۰۰	۱۸۷,۰۷۰,۰۰۰	۱۸۳,۰۱۰,۰۰۰
NVR Type	16 Ch	16 Ch	16 Ch	16 Ch
Input BandWidth	144Mbps	160Mbps	160Mbps	320Mbps
Output Bandwidth	72Mbps	64Mbps	64Mbps	320Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8MP	Upto24MP
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	16 POE Ports	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

32

33

34

Dahua

DHI-NVR4232-4KS2/L

DHI-NVR608-32-4KS2

DH-NVR608-64-4KS2



Price (Rials)	۱۲۵,۶۷۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰
NVR Type	32 Ch	32 Ch	64 Ch
Input BandWidth	160Mbps	384Mbps	384Mbps
Output Bandwidth	48Mbps	384Mbps	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8MP	Upto 12MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	-	-
SATA Interface	2 HDD up to 10TB	8 HDD up to 10TB	8 HDD up to 64TB
Network Interface	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	Standalone 1U	2U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video